




SD-311-200

Technical Data Sheet

Horizontal Soap Dispenser Surface Mount



MATERIALS: type 304 #20 gauge stainless steel, #4 satin finish, fully welded one-piece construction soap tank, all purpose valve is fabricated of highly polished chrome on brass with stainless steel return spring that will dispense pre-measured amounts of soap per stroke. The concealed mounting plate is fabricated of heavy gauge stainless steel. The filler cap is fabricated of stainless steel.

CAPACITY: 47 oz (1.4 liter) of soap, detergent or lotion

OVERALL SIZE: 8 1/4" W x 4 3/4" H x 4 1/4" D
(210 mm W x 121 mm H x 130 mm D)

SPECIFICATIONS: Soap tank is fabricated of type 304 #20 gauge stainless steel, #4 satin finish, fully welded one-piece construction. The all purpose valve is fabricated of highly polished chrome on brass with stainless steel return spring that will dispense pre-measured amounts of soap per stroke. Valve operates with less than 5 lbs of force when properly serviced and operated. The clear plastic window allows a constant fluid level check. The concealed mounting plate is fabricated of heavy gauge stainless steel. The filler cap is fabricated of stainless steel, hinged to allow easy servicing, secured with special key that creates a vandal resistant dispenser.

INSTALLATION: Provide an area on mounting surface at desired or specified location. Secure concealed mounting plate to wall surface with proper fasteners. Slide dispenser down over mounting plate and secure by means of set screw located inside tank. Fill unit with proper soap. Close lid and secure with special Key. Test valve for proper operation.

Recommend type soaps without chloric solutions for proper operation.